

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(oil adj impregnat\$3 adj bearing) near degreas\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 07:34
L2	577	(oil adj impregnat\$3 adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 07:34
L3	3	2 and (degearing or degrease)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 07:35
L11	290	"KANEKO, MASATO".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:39
L12	15399	"IDEMITSU KOSAN".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:40
L13	15562	11 or 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:40
L14	32	13 and sizing and (lubricant or lubricating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:40
L15	277	(508/496).CCLS.	USPAT; USOCR	OR	OFF	2008/09/11 08:45
L16	49	(508/421).CCLS.	USPAT; USOCR	OR	OFF	2008/09/11 08:47
L17	381	(508/421,496).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/11 08:47
L18	8	17 and oil adj bearing	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 08:48
L19	61	17 and phosphate and bearing	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 08:49
L20	2	19 and oil adj impregnat\$4 adj bearing	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 08:50
L21	4	US-20040038833-\$.D.ID. OR US-5484542-\$.D.ID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:52

L22	2	L21 and viscosity and extreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:52
L23	2	L22 and deactivat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:52
L24	2	L23 and (phosphoric or phosphate or phosphite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:52
L25	2	L24 and (benzotriazole or thiadiazole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/11 08:52
L26	0	L20 and L25	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 08:52
L27	0	L20 and L24	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 08:53
L28	0	L20 and L23	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 08:53
S1	4	US-20040038833-\$.D.ID. OR US-5484542-\$.D.ID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:54
S2	0	"2" and viscosity and estreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:54
S3	0	S1 and viscosity and estreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:54
S4	2	S1 and viscosity and extreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:55
S5	2	S4 and deactivat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:55
S6	2	S5 and (phosphoric or phosphate or phosphite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:55
S7	2	S6 and (benzotriazole or thiadiazole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:56

S8	2	S7 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:57
S9	1	S8 and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 11:57
S10	4244	sizing and bearing and (lubricant or lubricat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 12:03
S11	26	S10 and viscosity and extreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 12:03
S12	17	S11 and (phosphoric or phosphate or phosphite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 12:04
S13	7	S12 and (benzotriazole or thiadiazole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 12:04
S14	5	S13 and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 12:04
S15	19	S11 and @ad< "200400331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:06
S16	9	S11 and @ad< "20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:06
S17	55	bearing and sizing near (lubricant or lubricat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:14
S18	25	S17 and @ad< "20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:14
S19	0	S18 and oil adj bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:26
S20	17123	oil adj bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:26

S21	353	S20 and sizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:26
S22	62	S21 and sintering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:26
S23	17	S22 and oil adj impregnat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:27
S24	12	S22 and oil adj impregnat\$3 near bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:27
S25	12	S24 and viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 13:28
S26	0	S25 and extreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 14:17
S27	0	S25 and deactivator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 14:18
S28	23	S21 and oil adj impregnat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:08
S29	14	S28 and oil adj impregnat\$3 near bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:08
S30	0	S29 and extreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:08
S31	0	S29 and deactivator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:09
S32	221954	bearing and (lubricant or lubricat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:10
S33	4486	S32 and extreme adj pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:10

S34	615	S33 and metal adj deactivator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:10
S35	418	S34 and (phosphoric adj acid adj ester or phosphate or phosphite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:11
S36	259	S35 and (benzotriazole or thiadiazole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:11
S37	169	S36 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:12
S38	111	S37 and (antioxidant or anti adj oxidant or oxidation adj inhibit\$4) and (antifoam\$4 or anti adj foam\$4 or foam adj inhibit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:14
S39	2	S38 and (sizing or sintering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:15
S40	5	S38 and oil adj bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 15:45
S41	2553	(sizing or oil adj impregnat \$3 adj bearing or sintered adj bearing) and alloy and (lubricant or lubricat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 16:47
S42	89	S41 and (oil adj impregnat \$3 adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 16:47
S43	73	S42 and @ad<"20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/10 16:48

9/ 11/ 2008 8:55:27 AM

C:\Documents and Settings\toladapo\My Documents\EAST\Workspaces\lubricating oil composition for working using sizing press 10586635.wsp